

## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450

APPLICATION NUMBER

FILING OR 371 (c) DATE

FIRST NAMED APPLICANT

ATTORNEY DOCKET NUMBER

10/626,876

07/24/2003

James E. O'Toole

MI40-356

021567 WELLS ST. JOHN P.S. 601 W. FIRST AVENUE, SUITE 1300 SPOKANE, WA 99201



Date Mailed: 12/03/2003

## NOTICE TO FILE CORRECTED APPLICATION PAPERS

## Filing Date Granted

An application number and filing date have been accorded to this application. The application is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given TWO MONTHS from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a).

The required item(s) identified below must be timely submitted to avoid abandonment:

- Replacement drawings in compliance with 37 CFR 1.84 and 37 CFR 1.121 are required. The drawings submitted are not acceptable because:
  - The drawings must be reasonably free from erasures and must be free from alterations, overwriting, interlineations, folds, and copy marks. See Figure(s) 8.060401-22, 23, 25-28, 30, 32, 34, 35, 37-48, 50, 52, 54-64, 66, 67, 69, 71 & 72.
  - The drawings have a line quality that is too light to be reproduced (weight of all lines and letters must be heavy enough to permit adequate reproduction) or text that is illegible (reference characters, sheet numbers, and view numbers must be plain and legible) see 37 CFR 1.84(l) and (p)(1)); See Figure(s) 7.01-20.0104.

Replies should be mailed to:

Mail Stop Missing Parts

**Commissioner for Patents** 

P.O. Box 1450

Alexandria VA 22313-1450

A copy of this notice MUST be returned with the reply.

R NOZON
Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 3 - OFFICE COPY